Downtown

The **Downtown community area (CA)** is comprised of two neighbourhood clusters: Downtown West (11A) and Downtown East (11B).

Our Health. **Our Community**




Introduction

The Community Area Profile is a snapshot of the 2019 Community Health Assessment (CHA), which provides information about the health of our population (for example, health status, health disparities, determinants of health and health services utilization). Each CA profile offers the healthcare system, social services, community development, support agencies and others, valuable insight into the health of the communities they serve. The information presented in the CA profiles can help to guide the way services are designed, determine which services are offered in communities and neighbourhoods, identify how community partners can work together to provide better support and services to their community members, and determine how to best meet the identified needs of the community area.

Where does the data come from?

The data included in the CA profiles are obtained from multiple sources including: Administrative Health and Surveillance Data, Canadian Community Health Survey, 2016 Canada Census, and Healthy Child Manitoba. It is important to note that different data sources, such as the ones used in this report, collect data using different time periods. For that reason, not all indicators in this profile are reported using the same time periods.



Sections

- 2 Areas of Strength and Areas for **Improvement**
- 3 Who lives Downtown?
- 4 **Summary of Key Health Indicators**
- 5 **Social Determinants of Health**
- 6 **Boundaries & Income Quintile Map**
- At-a-Glance of Selected Indicators 7
- 9 **Acknowledgements & Additional Information**











Areas of Strength and Areas for Improvement

This page illustrates health indicators that saw the most statistically significant changes over time. 'Areas of Strength' are health indicators that have improved ("now") compared to the last reported time period ("then") within the community area, and 'Areas for Improvement' are health indicators that have worsened compared to the last reported time period.

Areas of Strength





Teen pregnancy rate decreased over time (per 1,000)



P

Female life expectancy increased over time





Fewer residents were hospitalized or died due to a heart attack (per 1,000)



Teen birth rate decreased over time (per 1,000)



Premature mortality rate decreased over time



Areas for Improvement





More residents were living with total respiratory morbidity





More residents were living with diabetes






More residents were living with hypertension



Who lives Downtown?

A brief overview of the community area's population by age and sex, demographic information, life expectancy at birth, as well as mortality. The Downtown community area is comprised of two neighbourhood clusters: Downtown West (11A) and Downtown East (11B). The comparator, the Winnipeg Health Region (WHR), comprises Winnipeg, East St. Paul, West St. Paul, and Churchill.

Population (2018): 80,556 residents



Demographic info (2016)

	CA		WHR
Indigenous	Overall: 17.4%		12.2%
	West: 15.2%	East: 19.9%	
Visible	Overall: 41.4%		27.5%
minority	West: 39.6%	East: 43.4%	
Lone-parent	Overall: 26.7%		18.3%
families	West: 23.5%	East: 31.2%	,
Immigrant	Overall: 34.8%		25.2%
status	West: 34.1%	East: 35.6%	

Life expectancy at birth [in years] (2012-16)

Male	Downtown	Female
75.1	Overall	79.8
78.7	West	83.3
72.0	East	76
79.4	WHR	83.4

Mortality (per 1,000 residents)

Indicator (2012-16)	CA West	CA East	CA	WHR
Premature mortality rate (before 75 years old)	3.13	6.21	4.59	2.64
Potential years of life lost (life lost when people die before age 75)	50.7	105.4	76.0	45.2
Potentially avoidable deaths (avoidable through primary prevention efforts before age 75)	2.42	4.60	3.46	1.98
Total mortality rate (all ages)	7.3	12.7	9.8	6.3

Legend

BETTER SIMILAR

WORSE

Summary of Key Health Indicators

This page highlights two measures:

Trend: How key indicators have changed in the community since the last reported time period.

vs MB: How those key indicators compare to the Manitoba average.

Chronic Diseases and Illnesses

Cardiovascular	Trend	vs MB
Hypertension prevalence	WORSE	WORSE
Ischemic heart disease prevalence	SIMILAR	BETTER
Heart attack rate	BETTER	SIMILAR
Congestive heart failure prevalence	SIMILAR	SIMILAR
Stroke rate	SIMILAR	WORSE

Diabetes		
Diabetes incidence	SIMILAR	WORSE
Diabetes prevalence	WORSE	WORSE
Lower limb amputation prevalence	SIMILAR	WORSE

Respiratory		
Total respiratory morbidity rate	WORSE	WORSE
Asthma prevalence for children	SIMILAR	SIMILAR

Musculoskeletal		
Osteoporosis prevalence	SIMILAR	SIMILAR
Arthritis prevalence	SIMILAR	WORSE

Mental Illness			
Benzodiazepine overprescribin community	ng –	BETTER	BETTER
Antidepressant prescription fo	llow-up	SIMILAR	SIMILAR
Suicide rate		SIMILAR	SIMILAR

Injury		
Unintentional injury hospitalization rate	SIMILAR	SIMILAR
Intentional injury hospitalization rate	SIMILAR	SIMILAR

Maternal and Child Health

Healthy Child Development	Trend	vs MB
Teen pregnancy rate	BETTER	WORSE
Teen birth rate	BETTER	WORSE
Inadequate prenatal care	SIMILAR	SIMILAR
Breastfeeding initiation	SIMILAR	SIMILAR

Healthcare

Primary Care		
Ambulatory consultations	SIMILAR	SIMILAR
Continuity of care	SIMILAR	SIMILAR
Ambulatory care sensitive conditions (ACSC) hospitalization rate	SIMILAR	SIMILAR

Personal Care Homes		
Median waiting times for PCH admission – from hospital	SIMILAR	SIMILAR
– from community	SIMILAR	SIMILAR
Residents in PCH	SIMILAR	WORSE

Legend

BETTER SIMILAR

Trend: Than last time period vs. MB: Compared to MB averages

WORSE

Social Determinants of Health









This section highlights social determinants of health (SDOH), or "systematic social and economic conditions that influence a person's health". They include education, income, employment, housing, early childhood development, and health behaviours that can have a significant impact on individual and population health.

Education (Statistics Canada Census 2016)	Community avg.	WHR avg.
Educational attainment - % of residents (aged 15+) who have high school diploma or higher	78% (77 - 80%)	83%

Healthy Child Development (readiness for school learning) (HCMO 2019)					
Kindergarten children	Physical health and well-being domain	18.7% (15.3 - 23.3%)	15.1%		
vulnerable	Social performance domain	16.1% (11.3 - 22.6%)	12.6%		
in the:	Emotional maturity domain	14.0% (10.8 - 18.5%)	14.9%		
	Language and cognitive domain	18.0% (13.7 - 23.7%)	14.4%		
	Communication & general knowledge domain	19.2% (13.4 - 26.9%)	17.6%		

Income (Statistics Canada Census 2016)		
Median household income after tax	\$39,626 (\$31,979 - \$51,494)	\$59,510
Low Income Measure-After Tax (LIM-AT)	31.0% (20 - 43%)	16%
Proportion of children (aged 0-17) living in low income families	43.4% (28.3 - 64.2%)	22.6%


Employment (Statistics Canada Census 2016)		
Unemployment rate (aged 15+)	8.0% (6.9 - 9.6%)	6.5%
Labour force participation (aged 15+)	66.4% (61.8 - 70.3%)	67.1%

Housing (Statistics Canada Census 2016)		
Housing offerdability (and discuss that 200% of table before the income on bourier)	41% tenant (38 - 42%)	40% tenant
Housing affordability (spending more than 30% of total before-tax income on housing)	15% owner (13 - 23%)	12% owner

Health Behaviours (MCHP Mental Illness Among Adult Manitobans 2018)		
Substance use disorders	No CA level-data (6.3 - 11.0%)	5.6%

Boundaries & Income Quintiles Map

This map of the **Downtown community area** highlights income quintiles for each neighbourhood. The map also highlights main roads to show the boundaries for the community area.



Source: Statistics Canada Census 2016

Map: Created by Population and Public Health Unit, WRHA, September 2020











At-a-Glance of Selected Indicators

Compares the health of people in the community area or in each neighbourhood cluster to the health of Winnipeg Health Region residents and Manitobans overall.

	Indicator	Time period	CA Count	CA	CA West	CA East	WHR	МВ
Maternal and	Teen pregnancy (per 1,000 females)	2012/13-2016/17	544	49.9	42.2	61.1	23.3	30.0
child health	Teen birth (per 1,000 females)	2012/13-2016/17	366	33.6	27.2	42.2	13.9	21.5
	Breastfeeding initiation	2016/17	736	80.1%	81.7%	78.8%	86.8%	84.2%
	Families first 3+ risk factors	2017	777	41.3%	37.1%	45.7%	24.6%	26.7%
	Inadequate prenatal care	2012/13-2016/17	469	10.4%	9.1%	11.3%	6.6%	10.3%
Chronic	Hypertension prevalence	2016/17	11,128	22.3%	22.3%	23.0%	20.7%	20.7%
diseases and illnesses	Ischemic heart disease prevalence	2012/13-2016/17	3,543	7.6%	7.6%	9.8%	8.6%	8.7%
ana miesses	Heart attack rate (per 1,000, aged 40+)	2012-2016	500	3.45	3.07	4.03	3.00	3.24
	Congestive heart failure prevalence	2016/17	495	1.72%	1.57%	2.20%	1.57%	1.59%
	Stroke rate (per 1,000)	2012-2016	446	3.10	2.80	3.58	2.43	2.48
	Diabetes incidence	2014/15-2016/17	1,583	0.97	0.88	1.03	0.74	0.80
	Diabetes prevalence	2014/15-2016/17	7,132	10.1%	8.9%	10.7%	7.9%	8.7%
	Lower limb amputation due to diabetes	2012/13-2016/17	111	1.84%	1.19%	2.44%	0.91%	1.09%
	Total respiratory morbidity rate	2016/17	9,236	11.8%	10.9%	12.5%	11.1%	10.3%
	Asthma prevalence for children	2015/16-2016/17	1,956	15.6%	15.6%	15.7%	16.7%	1510.0%
	Osteoporosis prevalence	2016/17	732	3.83%	3.32%	4.53%	4.05%	3.83%
	Arthritis prevalence	2015/16-2016/17	12,515	22.9%	20.7%	25.9%	20.4%	20.4%
	Mood & anxiety disorders	2010/11 – 2014/15	15,507	N/A	23.1%	28.7%	24.7%	23.2%
	Antidepressant prescription follow-up	2012/13-2016/17	761	54.2%	53.6%	54.9%	55.3%	51.7%
	Dementia prevalence	2010/11 – 2014/15	1,726	N/A	9.2%	14.1%	10.7%	10.3%
	Suicide rate (per 1,000, aged 10+)	2012-2016	96	0.27	N/A	N/A	0.15	0.17

BETTER

SIMILAR

WORSE

than the **MB** average

Rate

				Rate				
	Indicator	Time period	CA Count	CA	CA West	CA East	WHR	МВ
Injury	Intentional injury hospitalization (per 1,000)	2016/17	117	1.58	N/A	N/A	0.65	0.80
	Unintentional injury hospitalizaiton (per 1,000)	2016/17	448	6.42	5.14	8.01	4.54	5.42
Preventative	Influenza immunization (aged 65+)	2017/18	5,185	51.1%	N/A	N/A	58.2%	55.2%
nealthcare	Pneumococcal immunization (aged 65+)	2017/18	5,897	57.7%	N/A	N/A	62.6%	61.2%
Healthcare	Ambulatory consultations	2016/17	21,638	29.8%	30.3%	28.5%	31.8%	29.0%
access	Hospitalization for ACSC (per 1,000)	2016/17	619	7.7	5.8	11.4	4.5	6.1
Continuity of car Benzodiazepine	Inpatient hospitalization rate (per 1,000)	2016/17	5,970	77.7	67.2	91.0	63.1	78.4
	Continuity of care	2015/16-2016/17	38,940	72.0%	72.8%	70.5%	73.1%	71.5%
	Benzodiazepine overprescribing-community	2012/13-2016/17	973	14.7%	14.0%	15.6%	17.6%	18.5%
	Median wait times for PCH-from hospital (weeks)	2015/16-2016/17	162	1.3	N/A	N/A	1.3	2.5
	Wedian wait times for Ferr from Hospital (weeks)							

BETTER

SIMILAR

WORSE

than the **MB** average

##

Statistical testing not available

N/A denotes data not available

Select Definitions

Inadequate prenatal care: determined by the number of physician visits received by a prospective mother, considering when the first prenatal visit took place. A prenatal visit is defined as a visit to a health professional (e.g., physician, mid-wife, or nurse practitioner) where medical or healthcare was performed to take care of the pregnancy.

Families First Risk factors: three or more of the following risk factors identified as leading to poor childhood outcomes: 1) maternal alcohol use; 2) maternal smoking; 3) mother with less than high school education; 4) financial difficulties; 5) maternal depression and/or anxiety; 6) number of screens.

Potentially avoidable deaths: The average annual rate of avoidable deaths before age 75, per 1,000 population, over a five-year time period. Avoidable deaths include those that could be avoided through primary prevention efforts, such as lifestyle modifications, immunizations and health promotion initiatives.













Acknowledgements & Additional Information


For more information or to provide feedback to improve the community health assessment process in the future

If you'd like additional information, have any questions, or if you would like to provide feedback on how we can improve the community health assessment process, including the CA profiles (e.g., design, language, content, additional information) please contact us: CHA@wrha.mb.ca

Additional links

To view the full 2019 Community Health Assessment: wrha.mb.ca/research/community-health-assessment/2019-report

For a suite of web-based interactive data tools, dashboards and maps, visit the Manitoba Collaborative Data Portal: mbcdp.ca/community-health-assessment-2019.html



Acknowledgements

Community Area Profiles were developed by the George & Fay Yee Centre for Healthcare Innovation's (CHI) Evaluation Platform.

The authors wish to acknowledge the contribution of many individuals who assisted in the development of this report. We greatly appreciate the support and guidance provided by the Community Area Facilitators and members of the Community Area Profile Advisory Committee throughout the production of this profile. We also wish to extend a sincere thanks to CHI's Knowledge Translation team for designing the layout of the report and to the Population and Public Health Unit (WRHA) for creating the community area maps.

¹ Canadian Medical Association. 2019. Social determinants of Health. Canadian Medical Association. Accessed from: https://www.cma.ca/social-determinants-health











